



DANIEL J. AVERA, R.E.H.S., Division Chief

Page 1 of 2

### **REQUIRED SIGNS AT SPAS**

1. **"WARNING - NO LIFEGUARD ON DUTY"**

- Required where no lifeguard service is provided.
- Letters must be at least 4" high.
- Sign placed in plain view of those entering pool area.

2. **ARTIFICIAL RESPIRATION PROCEDURES**

- Must have illustrated diagram with instructions.
- Must be posted within the pool enclosure and be clearly visible.

3. **EMERGENCY TELEPHONE NUMBERS**

- Shall have "911" number as a minimum.
- Instructions to commence and continue artificial respiration, if necessary.
- Must be clearly posted within pool enclosure and adjacent to a nearby telephone if one exists.

4. **WARNING SIGN FOR SPA USE**

- Must have clearly legible letters.
- Shall be posted in a prominent place near the entrance to spa pool.
- Shall contain the following language.

(cont'd)

**"CAUTION"**

1. Elderly persons, pregnant women, infants, and those with health conditions requiring medical care should consult with a physician before entering a spa.
2. Unsupervised use by children under the age of 14 is prohibited.
3. Hot water immersion while under the influence of alcohol, narcotics, drugs, or medicines may lead to serious consequences and is not recommended.
4. Do not use alone.
5. Long exposure may result in nausea, dizziness or fainting."

5. **OCCUPANCY LOAD SIGN**

- Minimum 4" high letters/numerals.
- Located in a conspicuous place near entrance(s).
- Shall indicated the maximum number of occupants permitted for the spa. This occupant capacity limit shall be based on a minimum of 10 square feet of spa surface area per person.

6. **EMERGENCY SHUT-OFF SIGN**

- Shall be conspicuously posted at the emergency shut-off switch for spa re-circulation and booster/jet pumps (timers also).
- Emergency shut-off switch shall be located at least 5 feet, but not more than 20 feet away from the spa and within the enclosure.

NOTE: ALL REQUIRED SIGNS SHALL BE PROTECTED AGAINST THE ELEMENTS AND MAINTAINED IN A LEGIBLE MANNER.